



SEQUENCE LISTING

<110> CACIPT & TRADMARK OFFICE
Kaczorek, Philippe
Kaczorek, Michel
Temsamani, Jamal

<120> Peptides carrying substances across the blood brain barrier

<130> 19904-012 NATL

<140> 09/857,000

<141> 2001-09-07

<150> FR98/15074

<151> 1998-11-30

<150> PCT/FR99/02938

<151> 1999-11-26

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG1

<400> 1

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 2

<211> 16

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(16)

<223> Protegrin PG2

<400> 2

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Arg Arg Phe Cys Ile Cys Val
1 5 10 15

<210> 3
<211> 18
<212> PRT
<213> porcus

<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG3

<400> 3

Arg Gly Gly Gly Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 4
<211> 18
<212> PRT
<213> porcus

<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG4

<400> 4

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Gly Trp Ile Cys Phe Cys Val
1 5 10 15

Gly Arg

<210> 5
<211> 18
<212> PRT
<213> porcus

<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG5

<400> 5

Arg Gly Gly Arg Leu Cys Tyr Cys Arg Pro Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 6
<211> 18
<212> PRT
<213> Limmulus polyphemus

<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Polypheusin P1

<400> 6

Arg Arg Trp Cys Phe Arg Val Cys Tyr Arg Gly Phe Cys Tyr Arg Lys
1 5 10 15

Cys Arg

<210> 7
<211> 18
<212> PRT
<213> Limmulus polyphemus

<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Polypheusin P2

<400> 7

Arg Arg Trp Cys Phe Arg Val Cys Tyr Lys Gly Phe Cys Tyr Arg Lys
1 5 10 15

Cys Arg

<210> 8
<211> 16
<212> PRT
<213> Unknown

<220>
<221> MISC_FEATURE
<222> (1)..(16)
<223> Wherein 6 to 10 Xaa residues are hydrophobic amino acids

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Wherein Xaa is tryptophan

<400> 8

Xaa Xaa

<210> 9
<211> 18
<212> PRT
<213> Unknown

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid,

including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (15)..(15)

<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (16)..(16)

<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (17)..(17)

<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (18)..(18)

<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Peptide of formula (II)

<400> 9

Xaa
1 5 10 15

Xaa Xaa

<210> 10
<211> 17
<212> PRT
<213> Unknown

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE
<222> (7)..(7)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE
<222> (14)..(14)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an aliphatic or aromatic amino acid

<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Wherein Xaa is any amino acid as defined in the specification. Xaa (shown/defined as B in the specification) may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>
<221> PEPTIDE
<222> (1)..(17)
<223> Peptide of formula (III)

<400> 10

Xaa
1 5 10 15

Xaa

<210> 11
<211> 18
<212> PRT
<213> Unknown

<220>
<221> PEPTIDE
<222> (1)..(18)

<223> Syn B1

<400> 11

Arg Gly Gly Arg Leu Ser Tyr Ser Arg Arg Arg Arg Phe Ser Thr Ser Thr
1 5 10 15

Gly Arg

<210> 12

<211> 10

<212> PRT

<213> Unknown

<220>

<221> PEPTIDE

<222> (1)..(10)

<223> Syn B3

<400> 12

Arg Arg Leu Ser Tyr Ser Arg Arg Arg Arg Phe
1 5 10

<210> 13

<211> 17

<212> PRT

<213> Unknown

<220>

<221> PEPTIDE

<222> (1)..(17)

<223> Peptide with amino acids in D form

<400> 13

Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Arg Met Lys Trp Lys
1 5 10 15

Lys